



MOUNTING DECKS


FOR NETWORK ACCESSORIES ON IPN / HEA BEAMS



The ideal solution for safe

The metal decks, used with attachment systems suitable for HEA beams, enable the following elements to be fastened **quickly, safely** and in **compliance** with **applicable requirements**:

- Open and closed hose reels
- Wall brackets prevos
- ALTO air treatment units
- Universal bracket + accessories



and ergonomic work station organisation



Installation without drilling or the use of special tools

(attached using two or four steel anchors) ensuring compliance with building standards and mechanical properties.

Quick assembly and time savings


The decks are very quick to install.

Items may be pre-assembled on the decks in the workshop, thereby enhancing working conditions and optimising on-site installation time.

Decks can be easily removed and repositioned

(all screws and nuts required to mount hose reels and accessories are supplied).

Ease of use and ease of day-to-day tool handling.




Mounting principle

1 Mounting bracket

Prevost decks are fastened to the structural metal beams of the building. Our fastening system using anchors is **compatible with HEA beams** with the following dimensions:


Thickness "E" of beams: 0 to 25 mm maximum Thickness "B" of beams: 100 to 340 mm maximum





2 Mounting principle

The decks are based on a panel with two rails on the rear and equipped with two or four anchors, for very quick and very simple mounting.

- The anchors are placed on the rails on the rear of the panel...
- ...then tightened onto the wings of the metal beam
- The deck is thus held firmly in place








3 Direct wall mounting

The decks can also be fixed using the mounting holes provided.



Prevost modular decks

Four deck formats to meet a wide range of application requirements.






Mounting decks for hose reels, enabling a rational organisation of fluid supplies to reels at work stations.

- Safety during use
- Work station efficiency
- Ease of installation and operation

Open and closed reels

















A range of hose reels for the following fluids:

Compressed air, Hot water / Cold water / Low pressure and High pressure, Oil, grease

1000



Deck for mounting one of the three items set out below

- Decks for mounting ALTO air treatment assemblies which ensure that your pneumatic tools and equipment remain effective.
 - · Comprising filter, regulator and lubricator
 - · Quick and easy installation and maintenance
- Filter-Regulator (gauge included) with wall bracket 2-piece-set-Filter-Regulator-Lubricator (gauge
 - included) with wall bracket and diverter block







 2-piece-set-Filter-Regulator-Lubricator (gauge included) with wall bracket and diverter block





Decks for mounting prevo wall brackets on secondary pipes, with a quick coupling mechanism featuring preve anti-whiplash couplings to guarantee user safety.







Decks for mounting a universal bracket for accessories:



- Bolt holder
- Spray gun holder
- Tool holder







EQUIPPED MOUNTING DECKS FOR HEA BEAMS Large mounting deck for hose reels: DMO - DGO - DVO - DGF - DFF - DFF - DMF		
	Mounting deck for fastening hose reels: DMO - DGO - DVO - DGF - DSF - DPF - DRF - DMF Supplied with: - Four anchors - Two sets of screws - One rubber bush Maximum weight: 100 kg	PLA 2000
Small mounting deck for hose re	Mounting deck for fastening hose reels: DSF - DMF - DRF - DPF Supplied with: - Two anchors - One set of screws and nuts - One 420 mm free track Maximum weight: 40 kg acket Prevo S1, ALTO air treatment units, accessories	PLA 450
	Mounting deck for fastening: - Prevo S1 wall bracket - Accessories - ALTO air treatment units Supplied with: - Four anchors - One set of screws and nuts Maximum weight: 100 kg	PLA 1000
Small mounting deck for wall bra	Mounting deck: - Prevo S1 panel - ALTO air treatment unit, accessories - Prevo S1 panel - ALTO air treatment units - Universal bracket Supplied with: - Two anchors - One set of screws and nuts - One rail Maximum weight: 40 kg	PLA 225
MOUNTING DECK ACCESSORIES		
Accessory bracket	Universal bracket for: - hose holder - bolt holder - tool holder	PLA FIX
Hose holder Bolt holder	Hose holder supplied with - one hook for spray gun - one set of nuts and bolts - two rubber wedges	PLA HR
Tool holder	Bolt holder comprising: - one bracket - one bolt holder box - one set of nuts and bolts	PLA BB
Suspension hook	Tool holder comprising: - one mounting bracket - one tool holder shell - one set of nuts and bolts	PLA TH
© Company of the contract of t	Mounting hook supplied with M6 x 14 mm screws and standard M6 nuts	PLA K


	MOUNTING DECKS FOR DIRECT WALL FASTENING		
Large naked mounting decks fol	Mounting deck for fastening hose reels: DMO - DGO - DVO - DGF - DSF - DPF - DRF - DMF Mounting deck for fastening hose reels: DMO - DGO - DVO - DGF - DSF - DPF - DRF - DMF Maximum weight: 100 kg	PLA 2000N	
Small naked mounting deck for	Mounting deck for hose reels: DSF - DMF - DRF - DMF Maximum weight: 40 kg	PLA 450N	
	wall bracket Prevo S1, ALTO air treatment units, accessories Mounting deck for fastening: - Prevo S1 wall bracket - Accessories - ALTO air treatment units Maximum weight: 100 kg	PLA 1000N	
Small naked mounting deck for	Mounting deck for fastening: - Prevo S1 wall bracket - ALTO air treatment units - Universal bracket Maximum weight: 40 kg	PLA 225N	
SPARE PARTS FOR DECKS			
Grating for anchoring to HEA be	Fastening system comprising: - one anchor - one rectangular-head screw M10x50 mm - one standard M10 nut	PLA CR	
Kit of screws and nuts for moun	ting on decks Kit comprising: - four M10×20 mm screws - two standard M10 nuts - two captive M10 nuts Kit comprising: - two M8×20 mm screws - one standard M8 nut - one captive M8 nut Kit comprising: - twelve rectangular-head screws M6 x 20 - twelve standard M6 nuts Kit comprising: - four M6×20 mm screws - four standard M6 nuts	PLA VEGM PLA VEPM PLA VEAF PLA VEWF	
Side rail for mounting small decks or	HEA beams		
	420 mm side rail for mounting PLA 450 and PLA 225 decks on HEA beams	PLA RA	
Wedge block	Rubber block diam. 25 mm supplied with: - one M4x25 mm screw - one standard M4 nut	PLA TC	
Hook for hose holder	Suspension hook to be attached on hose bracket	PLA HRK	





Head office: PREVOST SAS
Parc d'activités des Glaisins - C.S 90208
74942 ANNECY-LE-VIEUX CEDEX - FRANCE
Tel. +33 (0)4 50 64 04 45 - Fax +33 (0)4 50 64 00 10
E-mail: sales@prevost.eu - www.prevost.eu

PREVOST UK
The Pavilions - Bridgefold road
Rochdale OL11 5BX - United Kingdom
Tel. (+44) 0844 800 2788 - Fax (+44) 0844 800 2789
E-mail: sales@prevost-ltd.co.uk - www.prevost.eu



PLA DOC14E

This document may not be deemed contractually binding. To provide better service for customers, Prevost reserves the right to alter product characteristics without notice.